



Z.I. da Poupa II, Rua A
-
Fracção C, 4780
-
793 Santo Tirso
Tel./ Fax: 252856106 * Telm: 912255637
geral@interfire.pt
www.interfire.p

Spring-Loaded Take Up Roller:



...Maximum Compartment Space

Gortite® spring-loaded take-up rollers are only 3" diameter and allow for a small rolled-up diameter and maximum compartment storage.

...Easy Lifting, Fast Opening and Closing

Spring-loaded operation makes it easy to open and close the roll up door.

Durable and Strong, Lightweight Design

Slats are made of strong, double-wall of lightweight anodized aluminum, with a weather seal between each slat.



Stainless Steel Lift Bar

With additional bottom clearance for easy grip, roll up doors withstand force and speed with a sturdy stainless steel lift bar.



Noise & Vibration Idler Roller

Foam-covered idler roller dampens noise and vibration



Side Rail Options

Any of the side rails can be predrilled to your specifications, free of charge. There are five side rail options available to accommodate the structure of your equipment compartment.



Standard



Universal



Recessed



P-Series



R-Series

Easy to clean, UV & Extreme Temperature Resistant Components

All the flexible polymer components such as the wipers and seals are made of Santoprene. It has a high resistance to UV's and adjusts well to hot and cold extremes. It also cleans easily with mild detergents.



Individual Slat End Caps

Individually replaceable end caps provide easy disassembling, should you ever need to

replace a slat.



High Quality and Custom Painted Finishes

Gortite **Roll Up Doors** are made of the highest quality satin anodized finish, with optional paint finish. Basecoat and Clearcoat process is used to exactly match your vehicle.



Satin Anodized



Mill Finish



Wet Painted

Superior Paint Process Protects against Chipping

Gortite's paint process offers customers the ability to precisely match any vehicle color. To prevent paint chipping, the "G-Rib" design increases clearance between the ribs along the front and back edges of the door.
